



FOR EXPERTS



REMOVAL HOISTS

®

GEDA

GEDA®-REMOVAL HOIST

- light weight aluminium ladder-hoists
- easy to erect and dismantle due to its component items
- careful and safe transport of furniture and goods
- can be installed without any tools in a very short time
- simple operation

NEW

GEDA®-REMOVAL HOIST 200 "Standard"

- Load capacity 200 kg
- Lifting speed 25 m/min, one speed
- 230 V/50 Hz
- rigid platform or rotating platform with bogie for all variants

GEDA®-REMOVAL HOIST 200 "Comfort"

- Load capacity 200 kg
- Lifting speeds 13/27 m/min, two speeds
- 230 V/50 Hz

GEDA®-REMOVAL HOIST 200 "Perfect"

- Load capacity 200 kg
- Lifting speed 0–27 m/min, smooth start
- 230 V/50 Hz

GEDA®-REMOVAL HOIST 250 Z

- Load capacity 250 kg
- Lifting speed 25 m/min, one speed
- rack and pinion drive unit
- 230 V/50 Hz



Rigid platform



The rotating platform stops directly in front of the window, controlled by a limit switch.



The platform can be brought into a convenient position by turning manually. Now the platform can be moved into the room.



GEDA[®]-REMOVAL HOIST

Accessories for economical use



Assembly arm with hand winch
Assembly cart



Transport box



Hand winch



Angle track section



Additional control with head section
**(GEDA-REMOVAL HOIST
Comfort/Perfect)**



Extendable foot section
**(GEDA-REMOVAL HOIST
Standard/Comfort/Perfect)**