

SERIES 3510/3520/3530/3540

For external and internal use

Electric Sideloader

Capacities from 2000 to 7000 kg



World-class solutions to logistics problems!

HUBTEX.

Features

When you need to move long loads, the HUBTEX Electric Sideloader has no rival. Compared to a conventional forklift the sideloader moves long sized goods faster and safer. And because it works in less space, it leaves more space for storage. A sideloader carries its load parallel to the direction of travel. It doesn't need extra wide doorways. It can stack, handle, and travel in aisles only a fraction wider than itself. During transport the load is placed on the platform so that fork carriage and lift mast will not be worn and strained. A safe and fast driving is guaranteed.

Further advantages include

- no exhaust emissions and residues,
- low noise emissions,
- reduced operating and maintenance cost,
- spacious driver's cabin,
- excellent allround visibility enables safe driving and load handling,
- grab handles, anti-slip deck, safety belt, reverse alarm and rotating warning beacon as well as an optimized weight distribution assure best possible safety for the driver and for the co-workers in the plant,
- designed for long-term application.



Ergonomics

Working with the series 3510, 3520, 3530 and 3540 is a real pleasure. Everything is clearly arranged and easily accessible. The comfortable, ergonomic driver's workstation offers more elbow room and optimized allround visibility. All hydraulic functions are operated by ergonomically arranged single levers or optionally by joystick. The full suspension seat cares for convenient working and conserves driver's health. An anti-slip step enables safe entering and leaving.

Drive

The powerful AC drive motor (except series 3510 and 3540) is connected directly to a differential at rear axle, thus enabling maximum drive power. The electronic system adjusts smooth starts, acceleration and braking according to the different requirements. The electric powered sideloader is known for low operation and maintenance cost and for exhaust-free and noise reduced emissions.



Your reliable partner for



New ergonomic driver's workstation



Technical data

	Type	Nominal capacity
Series 3510	S 20 E	2000 kg
	S 25 E	2500 kg
Series 3520	S 30 E	3000 kg
	S 35 E	3500 kg
Series 3530	S 40 E	4000 kg
	S 50 E	5000 kg
Series 3540	S 60 E	6000 kg
	S 70 E	7000 kg

Lift mast

Oversized profiles and cylinders lift and hold the load safely in all areas. The diversity, simplex, duplex and triplex mast structures and a wide range of handling attachments allow to match the HUBTEX sideloader exactly to the individual application. Crossed hydraulic cylinders guarantee smooth mast movements.



Mast reach



sideloaders – worldwide!



Quality and safety

All HUBTEX trucks are built to the highest possible quality and safety standards.

HUBTEX is certified to DIN EN ISO 9001:2008.





Maintenance

Modern 3-phase brushless motors (except series 3510) and regenerative braking ensure fast and smooth acceleration and deceleration while giving unrivalled economy of battery power. With no motor brushes or brake linings, service costs are appreciably lower and reliability improved. Modular construction of HUBTEX trucks ensures easy access for servicing and repairs even in narrow aisle situations. All assemblies are easily accessible reducing down-time and improving service engineer acceptance.



HUBTEX sideloaders maximize your storage capacity!



HUBTEX
Maschinenbau GmbH & Co. KG
 Industriepark West
 Werner-von-Siemens-Str. 8
 36041 Fulda, Germany
 Telephone: +49-661-8382-0
 Telefax: +49-661-8382-120
 info@hubtex.com

HUBTEX

www.hubtex.com

Technical modification reserved. Pictures may show options which are not standard equipment. Power details are guide values without obligation.